




CREE SMD2835	150 lm/w	CRI 80	90° Beam Angle	LM80	TM21
Isolated driver	90~305Vac	4KV surge protection	3-in-1 dimming 1-10V, PMW, Resisence		
	TGIC painting	DIY lens	IP65	IK08	
IES available	50,000 hrs	5 Year Warranty	CE	RoHS	

LED UFO HIGH BAY SKYE

Features and Benefits

- The Skye is made with patented housing that is significantly smaller in size than the industry standard UFO high bay range but is by no means less powerful.
- CREE SMD2835 LED chips provide outstanding lumen maintenance and better efficiency of up to 150 Effective Lumens per watt, diffused by an optional optic reflector for even better light distribution.
- Patent housing for a lightweight and smaller dimension means space-saving, both in warehouses and on shipping making this fitting truly economically viable for use in large numbers.
- The built-in driver regulates voltage, promotes efficiency up to 96% and comes with a 4KV surge protection.
- The very impressive voltage range of 90 - 305VAC allows for wide voltage input. The driver can also be used to dim the luminaire.
- Demanding applications require robust housing, the TGIC paint maintains superior colour retention and protects the housing against chipping or scratching.
- The product comes with a 5-year warranty, multiple possibilities for installation, an option for sensor and smart control systems.

Installation



Technical Specifications

Model No.	Watt	LEDs	Lumen	CCT	CRI	Beam Angle	Voltage	PF	Dim	Surge Protection	Dimension	
											D	H
ML-SK-100W-57K	100W	CREE SMD2835	15000lm	5700K	80	60°/70° 90°/120°	90~305VAC	0.95	1-10V/ PMW	4KV	226	152
ML-SK-150W-57K	150W	CREE SMD2835	22500lm	5700K	80	60°/70° 90°/120°	90~305VAC	0.95	1-10V/ PMW	4KV	275	152
ML-SK-200W-57K	200W	CREE SMD2835	30000lm	5700K	80	60°/70° 90°/120°	90~305VAC	0.95	1-10V/ PMW	4KV	275	152