


Abrasive paper, self-fastening

PS 22 K



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Product benefit

Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Application

Wood	●
Metals	●
Stainless steel	⦿
Paint/Varnish/Filler	⦿
Plastic	⦿

Applications

- Paint shops
- Plastics processing industry
- Wood processing industry

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
115	40	○ 0	PS 22 K	50	2785
115	60	○ 0	PS 22 K	50	2786
125	40	○ 0	PS 22 K	50	2294
125	60	○ 0	PS 22 K	50	2295
125	80	○ 0	PS 22 K	50	6774
125	100	○ 0	PS 22 K	50	2296

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
125	120	○ 0	PS 22 K	50	6775
125	150	○ 0	PS 22 K	50	78163
125	180	○ 0	PS 22 K	50	62107
125	220	○ 0	PS 22 K	50	97176
125	320	○ 0	PS 22 K	50	93284
125	400	○ 0	PS 22 K	50	130114
125	40	⊗ GLS 5	PS 22 K	50	89486
125	60	⊗ GLS 5	PS 22 K	50	89488
125	80	⊗ GLS 5	PS 22 K	50	89489
125	100	⊗ GLS 5	PS 22 K	50	89491
125	120	⊗ GLS 5	PS 22 K	50	89493
125	150	⊗ GLS 5	PS 22 K	50	89494
125	180	⊗ GLS 5	PS 22 K	50	89495
125	220	⊗ GLS 5	PS 22 K	50	90758
125	320	⊗ GLS 5	PS 22 K	50	89496
125	400	⊗ GLS 5	PS 22 K	50	104778
150	40	○ 0	PS 22 K	50	20207
150	60	○ 0	PS 22 K	50	6649
150	80	○ 0	PS 22 K	50	6936
150	100	○ 0	PS 22 K	50	6697
150	120	○ 0	PS 22 K	50	6937
150	150	○ 0	PS 22 K	50	71140
150	180	○ 0	PS 22 K	50	4022
150	220	○ 0	PS 22 K	50	93324
150	240	○ 0	PS 22 K	50	91605
150	320	○ 0	PS 22 K	50	91721
150	400	○ 0	PS 22 K	50	129092
150	40	⊗ GLS 1	PS 22 K	50	6520
150	60	⊗ GLS 1	PS 22 K	50	6523
150	80	⊗ GLS 1	PS 22 K	50	6524
150	100	⊗ GLS 1	PS 22 K	50	6525
150	120	⊗ GLS 1	PS 22 K	50	6526
150	150	⊗ GLS 1	PS 22 K	50	80722
150	180	⊗ GLS 1	PS 22 K	50	6611
150	220	⊗ GLS 1	PS 22 K	50	98990
150	320	⊗ GLS 1	PS 22 K	50	89450

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
150	400	⊗ GLS 1	PS 22 K	50	129389
150	40	⊗ GLS 3	PS 22 K	50	89181
150	60	⊗ GLS 3	PS 22 K	50	86634
150	80	⊗ GLS 3	PS 22 K	50	86635
150	100	⊗ GLS 3	PS 22 K	50	97072
150	120	⊗ GLS 3	PS 22 K	50	86636
150	150	⊗ GLS 3	PS 22 K	50	86637
150	180	⊗ GLS 3	PS 22 K	50	87528
150	220	⊗ GLS 3	PS 22 K	50	100157
150	320	⊗ GLS 3	PS 22 K	50	97779
150	400	⊗ GLS 3	PS 22 K	50	128356
180	40	○ 0	PS 22 K	50	2476
180	60	○ 0	PS 22 K	50	2477
180	80	○ 0	PS 22 K	50	6914
180	100	○ 0	PS 22 K	50	2783
180	120	○ 0	PS 22 K	50	6915
180	180	○ 0	PS 22 K	50	2784
200	40	○ 0	PS 22 K	50	77659
200	60	○ 0	PS 22 K	50	77660
200	80	○ 0	PS 22 K	50	77656
200	100	○ 0	PS 22 K	50	77658
200	120	○ 0	PS 22 K	50	77661

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de

