



Door-coupling rotary operating mechanism standard with tolerance compensation Size 100x 100, Shaft 10x 10, 300 mm, Test-0-I, Complete unit Handle 140 mm Accessory for 3KD size 4, 3KF size 4

Model		
product brand name	SETRON	
design of the product	standard with tolerance compensation	
design of handle	Gray	
design of the door lock system	Door interlocking	
size of cross-section / of the shaft / of door-coupling rotary operating mechanism	10x10 mm	
size format / of the masking frame / of door-coupling rotary operating mechanism	100x 100 mm	
length of handle	140 mm	
length of shaft / of door-coupling rotary operating mechanism	300 mm	
protection class IP	IP65	
Product details		
product description	size 100x100 mm, shaft 8 x8 mm	
product feature / interlock	Yes	
product component		
• extension shaft	Yes	
• handle for emergency-OFF function	No	
product feature / lockable	Yes	
Accessories		
accessories	Door-coupling rotary operating mechanism	
display version / for switch position indicator	test-0-I	
Mechanical Design		
height	144 mm	
width	98 mm	
depth	450 mm	
net weight	910 g	
General Product Approval		Declaration of Conformity
		Marine / Shipping



[UK Declaration of Conformity](#)



other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1151-3AF21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8UD1151-3AF21>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1151-3AF21

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



